

# ENHANCING PRIMARY CARE FOR HIGH-NEED PATIENTS: LESSONS LEARNED FROM PACT INTENSIVE MANAGEMENT (PIM)

Evelyn Chang, MD, MSHS and  
Donna Zulman, MD, MS  
on behalf of the PIM  
Demonstration Group

VA Cyberseminar  
October 18, 2017

# PACT INTENSIVE MANAGEMENT (PIM) STAFF

## Atlanta

- **Deborah Henry, MD, project lead**
- Kitefre Oboho, MD
- Rhonda Sturdivant, SW
- Emma Odotei, SW
- Jacqueline Lewis, SW
- Linda Walker, NP
- LaChaka Coffee-Meadows, DNP
- Heather Farrow, PhD, psychologist
- Vicki Jones, RN
- Walter Bradley, CPPS
- Lynn Seybolt, SW\*
- Neha Pathak, MD\*
- Jeryl Horton-Pittman, RN\*
- Hazel Headley, RN\*

## Cleveland

- **Brook Watts, MD, MS, project lead**
- Melissa Klein, MD
- Kim Schaub, PhD, psychologist
- Andrew Bisbee, medic
- Marie Spencer, medic
- Jenna Pierce, psychologist
- Ulyana Shramoviyat, SW
- Maki Ishihara-Sanders, SW
- Ryan Amos, project mgr.
- Erin Lea, PhD, psychologist\*
- Mary Hasenstaub, NP\*

## Milwaukee

- **Jeffrey Jackson, MD, project lead**
- Cortney Muns, CNS
- Sheila Scott, MSN, RN
- Francis Gutierrez, MSN, RN
- Erin Maney, SW
- Anna Harttert, SW
- Irene Kostiwa, psychologist
- Derek Storch, MSA
- Christine Wurm, project mgr.
- Leikeisha Willaims, project mgr.\*

## Salisbury

- **Parag Dalsania, MD, project lead**
- Sudip Roy, MD
- Mishelle Salaam, LPN
- Stephanie Lindsay, RN
- Dontae' Roberts, SW
- Jennifer Luescher, psychologist
- Shannon Miller, CPPS
- Daniel Arias, PSA
- Dr. Kathy Hedrick, psychologist\*
- Risa Peets, RN\*
- Emily Doan, RN\*

## San Francisco

- **Jessica Eng, MD, project lead**
- Nate Ewigman, PhD, psychologist
- Robert Carr, RN\*
- Stephen Forte, RN
- Angela Bodnar, SW
- Jenah Yangwas, SW
- Barbara Kamholz, psychiatrist\*
- Jennifer Chen, pharmacist\*

\* Not currently on PIM team

# OVERVIEW

Rationale for Office of Primary Care's PACT Intensive Management (PIM) Demonstration Program

Description of 5 PIM Programs

12-Month Outcomes

- Patient Experience
- PACT Experience
- Cost & Utilization

Lessons Learned

Next Steps

# POLL QUESTION: WHAT IS YOUR ROLE IN VA? (SELECT ALL THAT APPLY)

- A. PACT staff (provider, nurse, clerk)
- B. Non-PACT clinical staff
- C. Administrator, clinic manager
- D. Researcher
- E. Other

# CLINICAL VIGNETTE FROM PIM TEAM

Mr. A is a 65 year-old Vietnam Veteran with history of hypertension, chronic lower back pain, shoulder pain, and polysubstance abuse, who lived with family.

He enrolled into PIM during a hospitalization with a new diagnosis of multiple myeloma. Veteran's goal was to re-gain independent living within 6 months and to "beat cancer." PIM team goals were to assist patient with maintaining sobriety and adherence to medication and Hematology/Oncology treatment plan.

# CARE FOR HIGH-NEED PATIENTS IS NATIONAL PRIORITY

## VIEWPOINT

VITAL DIRECTIONS FROM THE NATIONAL ACADEMY OF MEDICINE

## Tailoring Complex Care Management for High-Need, High-Cost Patients

David Blumenthal, MD  
The Commonwealth  
Fund, New York,  
New York.

Melinda K. Abrams,  
MS  
The Commonwealth  
Fund, New York,  
New York.

*The* NEW ENGLAND JOURNAL *of* MEDICINE  
Perspective  
SEPTEMBER 8, 2016

## Caring for High-Need, High-Cost Patients — An Urgent Priority

David Blumenthal, M.D., M.P.P., Bruce Chernof, M.D., Terry Fulmer, Ph.D., R.N., John Lumpkin, M.D., M.P.H.,  
and Jeffrey Selberg, M.H.A.




NATIONAL ACADEMY OF MEDICINE

## MODELS OF CARE FOR HIGH-NEED PATIENTS

A National Academy of Medicine Workshop

*...funded by the Peterson Center on Healthcare*

# HIGH-COST PATIENTS IN VHA



Source: Zulman DM, et al., *BMJ Open*. 2015

# VHA'S 5% HIGHEST-COST PATIENTS

- High rates of hospitalization and ED visits
- Many patients with complex/costly conditions
  - Cancer, heart failure, renal failure
  - 65% with conditions spanning 3+ systems
- Approximately half with MH conditions
- High rates of homelessness (14%)
- Many with inadequate social support (41% married)



# “HOT SPOTTER” INITIATIVES

- “Hot Spotter” concept popularized by Atul Gawande, 2011, *New Yorker*
- Jeffrey Brenner, MD, pioneered using local data to identify high-cost patients and provide intensive outpatient care to reduce costs and improve quality
  - These patients were generally not connected to primary care
- Other similar interventions followed, but most were not rigorously evaluated



In Camden, New Jersey, 1% of patients account for 1/3 of medical costs. Photograph by Phillip Toledano

# WHAT IS KNOWN FROM LITERATURE

Intervention results are mixed.

Some show reductions in hospital admissions, emergency department (ED) visits, costs.


- Patient outcomes may appear to improve without a comparison group

**Existing models not necessarily designed to take advantage of medical home and neighborhood resources (i.e., mental health, palliative care, homeless, home-based primary care).**

**POLL QUESTION: WHAT IS YOUR EXPERIENCE  
WITH HIGH-RISK PATIENTS?  
(SELECT ALL THAT APPLY)**

- A.** Direct clinical care for high-risk patients
- B.** Leadership role in program for high-risk patients
- C.** Research on high-risk patients
- D.** Other experience with high-risk patients
- E.** No experience yet

# VHA CAN PREDICT VETERANS' RISK FOR HOSPITALIZATION USING THE CARE ASSESSMENT NEED (CAN) SCORE



# VHA PRIMARY CARE SERVICES RATIONALE


## Most high-risk patients are managed in PACTs

Patients at highest risk for hospitalizations (“high-risk”) require prompt, frequent, comprehensive coordination.

Even high-performing PACTs struggle with identifying and meeting high-risk patient health needs.

**May not be feasible for  
PACT teams alone.**

***Need to develop and  
evaluate approaches to  
intensive management.***




# VHA PRIMARY CARE SERVICES GOALS

**Improve** health care outcomes, functional status, quality of life, Veteran satisfaction among high-risk patients in primary care.


**Reduce** emergency department and urgent care utilization, hospitalizations and mortality in high-risk patients in primary care.

**Improve** provider satisfaction.

# PACT INTENSIVE MANAGEMENT (PIM) SELECTED DEMONSTRATION SITES - 2013



# PACT INTENSIVE MANAGEMENT (PIM) DEMONSTRATION SITE MODELS





# WHAT DID PIM TEAMS DO?

Met regularly as an interdisciplinary care team

Screened 20-25 high CAN patients per month, triaged patients, notified PACT providers, assessed, and finally engaged Veterans identified as appropriate

Nontraditional approaches (e.g., “co-attends,” inpatient visits)

Performed care coordination activities

- Health coaching
- Communicating/coordinating with other providers
- Arranging transportation for appointments

Assisted with medications (e.g., refills, education, adherence)

At least four sites included:

- Home visits to gain patient’s trust and assess environment
- Mental health and/or addiction assessment and support

# RANDOMIZED PROGRAM EVALUATION DESIGN

Any result or outcome from PIM would be difficult to interpret without a comparison group.

Evaluation team provides lists of patients randomly chosen from target patient population to invite to PIM (2014-2015).

PIM targets Veterans with Care Assessment Needs (CAN)  $\geq 90^{\text{th}}$  percentile and with a 6-month history of ED visit or hospitalization in VA setting.

- Not in a comprehensive care program (H-PACT, HBPC, palliative care, nursing home) in the past 2 months.

Sites can refer a limited number of Veterans into PIM.

# PIM DEMONSTRATION AS RANDOMIZED QUALITY IMPROVEMENT TRIAL

High Risk for hospitalization (CAN score  $\geq 90^{\text{th}}$  percentile)  
+ hospitalization/ED visit < 6 months

Intensive Outpatient  
Management

PIM

N=1105

Usual Primary Care

PACT

N=1102

# PIM EVALUATION COMPONENTS

- Program Activities and Clinical Outcomes
  - Health Factors (CPRS standardized templates)
- Patient Experience
  - Survey of patients in PIM and PACT (2016)
  - Interviews with patients in PIM (2015-2016)
- PACT Experience
  - Survey of PACT team members (2014-2016)
  - Interviews with PACT staff: MD, RN, SW (2017)
- Cost & Utilization
  - CDW Medical SAS files, Managerial Cost Accounting (MCA), Fee-basis data
  - Program costs

# WHO WERE THESE HIGH-RISK PATIENTS?

	PIM, N=1105	PACT, N=1102
Male gender	90%	90%
Age, mean ( $\pm$ SD)	63 (12)	62 (13)
Marital status		
Married	33%	32%
Divorced/Separated/Widowed	50%	45%
Single	17%	22%
Service connected $\geq$ 50%	40%	38%
Race/ethnicity		
White	49%	48%
Non-white	51%	52%
Number of chronic conditions, mean ( $\pm$ SD)	7 (3)	7 (3)
Hypertension	68%	65%
Depression*	33%	37%
Mean # VA ED visits, 12 mo prior ( $\pm$ SD)	1.9 (1.5)	1.9 (0.6)
Mean # VA inpatient stays, 12 mo prior ( $\pm$ SD)	1.3 (0.7)	1.4 (0.8)

\*P=0.05  
SD = standard deviation

# PACT INTENSIVE MANAGEMENT (PIM) LESSONS LEARNED

## **Not all high-risk patients need intensive management.**

- 390/1105 (35%) patients were not contacted or could not be contacted
- They were considered by PIM teams to be ineligible (e.g., outside eligibility area for home visits; mental health or substance use condition; no ambulatory care-sensitive condition)
- They were thought to be receiving appropriate management in PACT

## **Half of high-risk patients identified for PIM team were enrolled.**

- 572/1105 (52%) patients received PIM services

# FOLLOW-UP ON MR. A

Mr. A is a 65 year-old Vietnam Veteran with history of hypertension, chronic lower back pain, shoulder pain, and polysubstance abuse, who lived with family.

He enrolled into PIM during a hospitalization with a new diagnosis of multiple myeloma. Veteran's goal was to re-gain independent living within 6 months and to "beat cancer." PIM team goals were to assist patient with maintaining sobriety and adherence to medication and Hematology/Oncology treatment plan.

NP&SW assisted with discharge to home and performed a home visit assessment. Interventions also included co-attending specialty visits (VA and non-VA) and providing support and education in the home and over the telephone. NP referred patient to a substance abuse treatment program after a brief relapse. SW provided supportive counseling, as well as community referrals for housing and furniture.

After 5 months, the Veteran moved into subsidized housing. He continues to adhere to the Hem/Onc plan of care. His WBC count is improving, and he has been sober for 6 months.

# PATIENTS REPORTED POSITIVE EXPERIENCES WITH PIM

- Most would recommend PIM to other Veterans
- Several commented that PIM should be continued or expanded

*“My health has gotten a little better since they took over because they got me on the right medication, and they showed me the proper foods that I needed to eat for my diabetes. They sat me down and clearly made everything so understandable...I never got that before.” (#155)*

*“...I know I can count on them, I know I can call them if I ever have a problem or anything like that, and they have given me courtesy calls and I like that too, just in case...We work well together.” (#62)*



# PIM PATIENT SURVEY (2016)

**Objective:** Determine whether PIM is associated with improved patient experience

**Population:** High-risk patients randomly assigned to PIM or PACT

**Mode:** Mailed survey with follow-up by phone

**Respondents:**

- 1283 PIM (768 responses; response rate= 60%)
- 1283 PACT (759 responses; response rate= 59%)


**Primary Outcomes:**

- Satisfaction, Access, Care Coordination, Patient-Centered Care

**Analyses:**


- Multivariate regression with site-level fixed effects

# PATIENTS IN PIM TRUSTED PROVIDERS IN VA MORE THAN THOSE WHO WERE NOT IN PIM




Source: 2016 Survey of High-Risk PIM and PACT Patients (N = 1527)

# PATIENTS IN PIM TRUSTED PROVIDERS IN VA MORE THAN THOSE WHO WERE NOT IN PIM




Source: 2016 Survey of High-Risk PIM and PACT Patients (N = 1527)

# TREND TOWARDS IMPROVED PATIENT-CENTERED CARE AMONG PIM PATIENTS



# TREND TOWARDS IMPROVED CARE FOR CHRONIC ILLNESS



# PACT SURVEY SAMPLE

Invited Primary Care Providers (MD, PA, NP) and Nurses (RN, LVN, LPN) practicing at the five PIM demonstration site medical centers

- VAMC, CBOC, ambulatory care clinics
- Not still in training (i.e., resident, trainee)
- May not be exposed to PIM

Wave 1: Fielded online Dec 2014 – Jan 2015, paper and online May 2015 – June 2015. Response rate: 45%

Wave 2: Fielded online & paper October 20, 2016-January 6, 2017. Response rate: 34%

# PACT PROVIDERS WANT HELP WITH CARING FOR HIGH-RISK PATIENTS

Caring for high-risk patients is one of the most stressful aspects of my job (49%)

Overall, I am satisfied with the help I receive to care for my high-risk patients (39%)

My job would be better if I had an interdisciplinary team to help care for my high-risk patients (78%)

# PACT STAFF NEED HIGH LEVEL OF ASSISTANCE OUTSIDE OF PACT TO MANAGE PATIENTS WITH:

Chronic pain (50%)

Frequent walk-in visits (46%)

Poor self-management for problems, symptoms, or illnesses (43%)

Medical conditions and comorbid psychiatric disorder (42%)


Poor adherence to critical medications (42%)

Frequent hospitalizations or emergency department visits (41%)

Medical conditions and comorbid substance use disorder (40%)




# WHY DO HIGH-RISK PATIENTS REQUIRE TIME AND RESOURCES FROM PRIMARY CARE TEAMS?



Source: 2014-15 Survey of PACT Providers and Nurses (N = 447)

# PACT PROVIDERS WERE MORE SATISFIED WITH HELP RECEIVED HIGH-RISK PATIENTS

NOTE: GRAPH SHOWS ADJUSTED RESULTS; WEIGHTED FOR NONRESPONSE, CLUSTERED BY SITES



† p=0.06 after adjusting for provider-level and site-level covariates

Source: 2015 Survey of PACT Providers and Nurses (N = 447) and 2017 (N=294)

# PACT PROVIDERS THOUGHT PIM WAS HELPFUL

PACT providers thought that PIM helpful for time-consuming patients, transitions of care, understanding Veterans' barriers to care in their home/community environments

*“...when you have more people involved in the care, sometimes it does add to your workload because there's more being told to you .... But in general, I think they very much help with my workload and also with my sense that we're providing really good care to the patients, because they're able to do things that I might not have even had time to do.” (PACT PCP - #103)*

# TOP REASONS FOR WHY PCPS WANTED PIM INVOLVED

Adherence to medications, treatments, or appointments (n=124)

Home assessment and evaluation (n=124)

Comprehensive assessment of medical & psychosocial needs, care planning (n=115)

Self-management and lifestyle changes (n=63)

Difficult-to-control symptoms or illnesses (n=59)

Other: Education about dx and appropriate VA resources, alcohol use, financial abuse by caregiver, hoarding, fall risk, difficult personality, transportation, driving safety, cognitive screening, anger, pain management, transgender resource

# COST AND UTILIZATION ANALYSES METHODS

Intent-to-treat analysis using differences-in-differences (DID) 12-month period prior to and 12-months following randomized assignment.


Outcomes included utilization (hospitalizations, ED visits, outpatient visits by type) and VA costs

Ordinary Least Squares for regression models

- Sensitivity analyses using models for count data models, Generalized Linear Models and log costs


Fixed effects for patient

# NO SIGNIFICANT EFFECT ON ACUTE CARE UTILIZATION AFTER 12 MONTHS




^Predicted means from regression models

# INPATIENT COSTS INCREASED SLIGHTLY AMONG PATIENTS IN PACT



^Predicted means from regression models


# OUTPATIENT COSTS INCREASED SIGNIFICANTLY AMONG PATIENTS IN PIM



^Predicted means from regression models



# OVERALL NO DIFFERENCE IN TOTAL COSTS



^Predicted means from regression models

# POTENTIAL EXPLANATIONS FOR MODEST EFFECTS ON COST

- Benefits of intensive management may require more time (e.g., to build trust, change behavior and chronic condition management, decrease complication rates).
- Program may be effective for certain patients, but selection process included patients unlikely to benefit (e.g., not likely to engage, non-modifiable risk factors)
- PIM may lead patients to seek care within rather than outside VA
- Need to refine match between patient needs and expertise (e.g., mental health, geriatrics)

# LESSONS LEARNED: IMPORTANT KEY PIM FEATURES

**Teams should include both a social worker and a mental health provider (e.g., psychologist).**

Teams should meet at least **weekly** to discuss high-risk patients and their treatment plans.

**Comprehensive assessment** should include assessment of patient goals and physical, psychological, social needs.

Many patients with trajectories that may not change, so **advanced care planning** important

Providing **caregiver education and support** important for behavior change.

# LESSONS LEARNED: PIM DEMONSTRATION PROGRAM

- Rigorous evaluation critical
  - High-cost/high-utilizers experience regression to mean
- Implementing intensive management programs takes time
  - Hiring/training, refining program in response to patients' needs, building relationships with PCPs/specialists, engaging patients and building trust
- One-size-fits-all approach likely ineffective
  - Certain patients more likely to engage in and respond to these programs
  - Some patients may benefit from in-depth assessment and recommendations, but not need ongoing PIM support
  - Provider referral could help identify patients likely to benefit from PIM
- Iterative improvement and evaluation key to care redesign

# SUMMARY

PACT Intensive Management (PIM) initiative is an opportunity for VHA to learn about how to better manage high-needs, high-cost patients as a learning healthcare organization

Five demonstration sites have developed innovative care coordination strategies and served as expert resource to their PACT teams

Patients and PACT teams have appreciated the help that PIM teams offer

PIM program paid for itself

# FUTURE OF PIM DEMONSTRATION: PIM 2.0

PIM 2.0 standardized model consists of:

- Referral program at the 5 demonstration sites (October 2017 – Sept 2018)
- Interdisciplinary team with MD, RN, SW, MH provider
- Adjunct to PACT rather than stand-alone PACT
- Population-level interventions, PACT-level interventions

Development of tools to assist PACT teams in caring for high-risk patients, to be released in 2019

# ACKNOWLEDGEMENTS:

## MEMBERS OF PIM INITIATIVE

PIM Demonstration sites: Parag Dalsania, Jessica Eng, Nate Ewigman, Deborah Henry, Jeff Jackson, Neha Pathak, Brook Watts

PIM Executive Committee: Gordon Schectman, Kathy Corrigan, Tim Dresselhaus, David Atkins, Carrie Patton, Belinda Black (Velazquez)

### PIM National Evaluation Committee

Lisa Rubenstein (CSHIIP, Los Angeles)

Steve Asch (Ci2i, Palo Alto)

Evelyn Chang (CSHIIP, Los Angeles)

Donna Zulman (Ci2i, Palo Alto)

Jean Yoon (HERC, Palo Alto)

Michael Ong (CSHIIP, Los Angeles)

Susan Stockdale (CSHIIP, Los Angeles)

Marian Katz (CSHIIP, Los Angeles)

Elvira Jimenez (CSHIIP, Los Angeles)

Mingming Wang (CSHIIP, Los Angeles)

Ava Wong (PIM NEC, VA Palo Alto)

Angel Park (HERC, Palo Alto)

Karen Chu (CSHIIP, Los Angeles)

Andrew Lanto (CSHIIP, Los Angeles)

Shoutzu Lin (Ci2i, Palo Alto)

Cindie Slightam/Terri Rogers (ImPACT, Palo Alto)

Alissa Simon (CSHIIP, Los Angeles)

Debbie Delevan (CSHIIP, Los Angeles)

Lisa Tarr (CSHIIP, Los Angeles)

# ATLANTA PIM TEAM



Jeryl Horton-Pittman, RN Case Manager/Coordinator;  
Walter Bradley, Peer Support Specialist, Emma  
Odotei, SW, Linda Walker, NP; Rhonda Sturdivant, SW



# CLEVELAND PIM TEAM



Cleveland “Allies for Better Care (ABC)PACT”:  
Ryan Amos, PSA; Melissa Klein, MD; Maki Ishihara-Sanders, SW; Marie Spencer, ICT; Kim Schaub, clinical psychologist; Jenna Pierce, clinical psychologist; Erin Lea, clinical psychologist; Brook Watts, Project Lead; Andrew Bisbee, ICT

# MILWAUKEE PIM TEAM



Frances Gutierrez, CNE; Cortney Muns, CNS;  
Derek Storch, MSA; Sheila Scott, CNE;  
Irene Kostiwa, clinical psychologist

# SALISBURY PIM TEAM



Daniel Arias, PSA; Dontae' Roberts, LCSW;  
Roy Sudip, MD; Mishelle Salaam, LPN

# SAN FRANCISCO PIM TEAM



Jessica Eng, Project Lead/MD; Stephen Forte, RN;  
Jenah Yangwas, SW, Angela Bodnar, SW;  
Nathan Ewigman, clinical psychologist; Robert Carr, RN

# QUESTIONS/COMMENTS?

## **Contact information:**

Evelyn Chang, MD, MSHS (evelyn.chang@va.gov)

Donna Zulman, MD, MS (donna.zulman@va.gov)