

An Invitation to Collaborate on the VHA PACT Intensive Management (PIM) National Evaluation

Evelyn Chang, MD, MSHS

On behalf of the
PIM National Evaluation Center (NEC)

December 10, 2019

Poll Question

- Where are you in your investigative career cycle? (select one)
 - Early career (junior investigator)
 - Mid-career
 - Late career (senior investigator)
 - Not sure. Time flies!
 - N/A – Not a research staff

Objectives

- To describe findings from a Primary Care-funded initiative on high-risk Veterans: PACT Intensive Management (PIM)
- To invite VHA investigators to collaborate with PIM research team on special topics
 - Special high-risk patient topics (e.g., Women, Veterans with chronic pain, Virtual modalities, etc)
 - Dataset is qualitative and quantitative
 - Financial resources available to support investigators and analysts for FY20 to jumpstart investigations, especially for further research funding

Potential questions

- How can virtual modalities be used by PACT teams to effectively care for high-risk patients at home? (Choose Home initiative)
- How does understanding patient preferences and values impact outcomes of complex patients with chronic pain?
- How does intensive case management impact outcomes of complex patients with substance use disorder(s)?
- What additional needs do high-risk Women veterans have that may or may not be managed in WH-PACT or PACT?

References related to PIM

- Chang, et al. 2018. *Clinical Trials*. “An operations-partnered evaluation of care redesign for high-risk patients in the Veterans Health Administration (VHA): Study protocol for the PACT Intensive Management (PIM) randomized quality improvement evaluation.”
- Okunogbe, et al. 2017. *J Gen Intern Med*. “Care Coordination and provider stress in primary care management of high-risk patients.”
- Chang, et al. 2017. *Healthcare*. “What are the key elements for implementing intensive primary care? A multisite Veterans Health Administration case study.”
- Yoon, et al. 2018. *Annals of Internal Medicine*. “Impact of Primary Care Intensive Management on High-Risk Veterans’ Cost and Utilization.”
- Zulman, et al. 2019. *J Gen Intern Med*. “Effects of intensive primary care on high-need patient experiences: Survey findings from a Veterans Affairs randomized quality improvement trial.”



PIM protocol



Okunogbe, et al.
2017. JGIM



Chang, et al. 2017.
Healthcare.




Yoon, et al. PIM
12m Outcomes



Zulman, et al.
JGIM

Snapshot of High-Risk Patient Population in VHA: PACT assignment for high-risk patients

during September 2015 (last 4 weeks of FY15)



Primary Care Staff Experiences of Caring for High-Risk Patients

- Half of PACT providers & nurses agreed that “caring for high-risk patients is one of the most stressful aspects of my job” (49%)
- Most agreed that “my job would be better if I had an interdisciplinary team to help care for my high-risk patients” (78%)
- Barriers to optimal care for these patients include:
 - Problems with coordination and communication with other providers
 - Problems with complex or difficult patients
 - Problems with PACT function


PACT Intensive Management (PIM) Demonstration

- Goal to develop and test approaches to manage high-risk patients and identify best practices through operations-evaluation partnership.
- Patient Aligned Care Team Intensive Management (PIM) demonstration program began FY14 to pilot intensive outpatient management to assess high-risk patients' needs and provide tailored services beyond PACT.
- Outcomes included VA health care costs, utilization, provider satisfaction, patient satisfaction.

PIM Demonstration Sites Selected Oct 2013



PACT Intensive Management 1.0 (PIM) Demonstration Site Models



PIM Team Activities


- Weekly interdisciplinary care team meetings
- Comprehensive interdisciplinary assessments
- Nontraditional approaches (e.g., “co-attends,” inpatient visits)
- Care coordination activities
- Medication management
- Case management (e.g., transportation, health coaching)
- At least four sites included:
 - Home visits
 - Mental health and/or addiction support

PACT Intensive Management (PIM)

Target patient population

- Inclusion criteria:
 - CAN \geq 90th percentile
 - 6-month history of ED visit or hospitalization in VA setting
 - With a PCP in PACT, WH-PACT, Geri-PACT
 - Will test ID-PACT (as an example of specialty PACT)
 - Not in a comprehensive care program (H-PACT, HBPC, nursing home) in the past 2 months
- Randomly generated invitation lists for each PIM team
- PACT providers may refer patients to PIM

Design: Randomized Quality Improvement Evaluation (Operations)



Poll Question

- What types of datasets are you most interested in using?
(select all that apply)
 - Administrative data (CDW, MCA)
 - Health factors embedded in CPRS templates and reminder dialogs
 - Qualitative (interviews)
 - Survey

Data Sources

- Administrative data
 - VA Inpatient and outpatient utilization from CDW Medical SAS Files
 - Demographics
 - Medical comorbidities
 - Health factors (standardized templates)
 - VA Managerial Cost Accounting (MCA)
 - Costs of VA-sponsored care from Fee Basis data
- Interviews with PIM team members, patients who received PIM services, PACT team members, facility-level leaders
- Surveys of PACT providers and nurses about their experiences with high-risk patients
- Surveys of high-risk patients about their experience in VA (under Research)

Findings

- Not all high-risk patients received intensive management.
 - Teams evaluated medical records for most patients who fit eligibility criteria (CAN \geq 90, recent ER visit/hosp), but found many to be low priority for PIM
 - Half of high-risk patients identified for PIM team were enrolled.
- PIM teams were able to:
 - Increase patient engagement in outpatient care and trust in the VA (Zulman, et al)
 - Potentially alleviate PACT burden (Okungobe, et al)
 - At no greater cost to VA healthcare system (Yoon, et al)

Lessons learned: Key Features

- Teams should include both a social worker and a mental health provider (e.g., psychologist).
- Teams should meet at least weekly to discuss high-risk patients and their treatment plans.
- Comprehensive assessment should include assessment of patient goals and physical, psychological, social needs.
- Many patients with trajectories that may not change, so advanced care planning important
- Providing caregiver education and support important for behavior change.

PIM 2.0 Standardized Model

- Would patient identification of high risk patients by referral increase the fit with PIM?
- PIM 2.0 model consists of:
 - Referral program at the 5 demonstration sites
 - Interdisciplinary team with MD, RN, SW, MH provider
 - Adjunct to PACT rather than stand-alone PACT
 - Able to discharge patients after 3-6 months
- Designed to serve as an expert resource to facility and PACT teams

PIM Team Perceptions of Top 5 Factors Related to Preventable ER visits

- Inadequate engagement with ambulatory care (PACT, MH, specialty, CCHT) (n=48)
- Medication nonadherence (n=45)
- Treatment noncompliance (diet, appointments) (n=31)
- Alcohol, substance use (n=29)
- Poor health literacy or insufficient education on health issues/appropriate use of ER (n=26)

Patient Problems PIM Teams Identified as Often Reversible with Intensive Management

- Patients with social needs:
 - Social isolation
 - Need for geriatric resources (Adult Day Health Care, In-Home Supportive Services, etc)
 - Need for social work resources (transportation, housing, food insecurity)
 - Health literacy issues
 - Caregiver burnout
- Patients with mental and/or behavioral needs:
 - Medication non-adherence or diagnosis of non-compliance
 - Depression and/or PTSD
- Patients with barriers to in-person visits

Patients not easily helped, even by PIM teams

- Severe Personality Disorder
- Severe Substance Use Disorder (except for Opioid Use Disorder)
- Chronic suicidality
- Cognitive impairment with no caregiver
- Those with too many competing life demands

PIM Perspectives on Most Valuable PIM Service:

Help with building patient trust in healthcare

- Interdisciplinary treatment planning
- Knowledge of VA resources and relationships
- Initial (diagnostic) home visit – Rx, family
- Assessment of patient's availability of social support
- Engaging patient in healthcare and self-care
- Being responsive and accessible to patient
- Frequent communication with patients and PACT providers
- Medication management
- Co-attends

Looking to Partner with Investigators on Special Topics

- Funding available for FY20 only to investigators and analysts on special topics:
 - Virtual care
 - Chronic pain (at least half of sample)
 - Women Veterans (oversampled at 10%)
 - Geriatric patients
 - Peer support specialists
 - Other topics? Discuss with Evelyn.Chang@va.gov

Process

- Investigators develop brief proposal and analysis plan, reviewed by Office of Primary Care and National Evaluation Center for operations questions
- Investigators invited to Friday morning calls twice per month
- Analysts invited to weekly calls for coordination and data sharing (VINCI folder, MOU for data sharing)
- Consider PIM demonstration site members as potential co-authors

Summary

- PIM has represented an opportunity for VA to learn about how to best manage high-risk patients
- Primary Care interested in learning more about management of certain populations of high-risk patients
- PIM has many datasets focused on high-risk patients that may be useful to VA investigators
- Funding/data available to jumpstart investigations, especially for further research funding

Questions?

Contact Evelyn.Chang@va.gov

Acknowledgements:

Members of PIM Initiative

PIM Demonstration sites leads: Parag Dalsania, Jessica Eng, Nate Ewigman, Deborah Henry, Jeff Jackson, Neha Pathak, Brook Watts

PIM Executive Committee: Gordon Schectman, Kathy Corrigan, Tim Dresselhaus, Leonie Heyworth, David Atkins, Carrie Patton, Belinda Black (Velazquez)

PIM National Evaluation Committee

Lisa Rubenstein (CSHIIP, Los Angeles)

Steve Asch (Ci2i, Palo Alto)

Evelyn Chang (CSHIIP, Los Angeles)

Donna Zulman (Ci2i, Palo Alto)

Jean Yoon (HERC, Palo Alto)

Michael Ong (CSHIIP, Los Angeles)

Susan Stockdale (CSHIIP, Los Angeles)

Marian Katz (CSHIIP, Los Angeles)

Elvira Jimenez (CSHIIP, Los Angeles)

Mingming Wang (CSHIIP, Los Angeles)

Ava Wong (PIM NEC, VA Palo Alto)

Emily Wong (PIM NEC, VA Palo Alto)

Angel Park (HERC, Palo Alto)

Karen Chu (CSHIIP, Los Angeles)

Andrew Lanto (CSHIIP, Los Angeles)

Shoutzu Lin (Ci2i, Palo Alto)

Cindie Slightam/Terri Rogers (ImPACT, Palo Alto)

Alissa Simon (CSHIIP, Los Angeles)

Debbie Delevan (CSHIIP, Los Angeles)

Lisa Tarr (CSHIIP, Los Angeles)

Summary of PIM Tools Developed for PACT That Can be used by greater PACT team

Domain

Explore the Veteran's Clinical History and Goals (PACT- level)

Create, Communicate, Implement a Plan of Care (PACT- level)

Establish a Shared Vision and Charge for Action (Leadership level)

Tools Currently Available

- High-Risk Patient Assessment Note
-
- PACT Super Huddle Note
 - Checklist for Home Visits (Virtual Home Visit version available)
 - Medication Adherence Assessment
 - Healthcare Behavioral Contract
 - PACT Resource Guide of Community and VA Resources
-
- Facility-wide Committee for High-Risk Patients